

30303 Aurora Road, Cleveland (Solon) Ohio 44139-2794
 Phone: (440) 248-1200 Fax: (440) 248-5426 www.bird-technologies.com

Beryllium Oxide Warning

The following models and families of product contain a beryllium oxide (BeO) substrate. Under normal applications of these products, there is NO risk. It is important to understand this substrate MUST NOT be sanded, scraped or tampered with.

Overexposure of beryllium dust or fumes may cause berylliosis, a serious chronic lung disease. The product should be disposed of in accordance with local regulations. For further information, see your Material Safety Data Sheet on file with your employer concerning OSHA standards and precautionary measures or request further information from Bird Electronic Corporation.

NOTE: *The suffix of XX indicates a family of products.*

EXAMPLE: *2-T-XX includes all models that begin with 2-T such as 2-T-MA, 2-T-FB etc.*

Convection Cooled Attenuators

1000-A-XXX-XX	600-A-XXX-XX	HDC015-E-XXX-XX	TRIO11-E-XXX-XX
1000-A-QXXX-XX	600-A-QXXX-XX	HDC016-E-XXX-XX	TRIO12-E-XXX-XX
1000-WA-XXX-XX	75-A-XXX-XX	HDC017-E-XXX-XX	TRIO13-E-XXX-XX
1000-WA-QXXX-XX	8301A010	HDC018-E-XXX-XX	TRIO14-E-XXX-XX
100-6A-XXX-XX	8314A030	HDC019-E-XXX-XX	TRIO15-E-XXX-XX
100-A-XXX-XX	8-6893	HDC028-E-XXX-XX	TRIO17-E-XXX-XX
100-SA-XXX-XX	8-6901	INS-001-E-XX	TRIO18-E-XXX-XX
10-A-XXX-XX	AET-001E-XX	JFW022-E-XXX-XX	VIA-004-E-XX
1500-WA-XXX-XX	AIR-016-E	JFW026-E-XXX-XX	XET-002-A
1500-WA-QXXX-XX	AIR-017-E	JFW040-E-XXX-XX	XMA-002-E
150-A-XXX-XX	AND-001-E	KAI-001E	
150-SA-XXX-XX	AND-002-E	LOC-016-E	
150-WA-XXX-XX	ASP-021-E-XX	LOC-018-E-XX	
25-18A-XXX-XX	BRW031-E-XXX-XX	LUC-002-E	
25-6A-XXX-XX	BRW033-E-XXX-XX	LUC-003-E-KIT	
25-A-XXX-XX	BRW034-E-XXX-XX	LUC-005-E	
2-A-XXX-XX	BRW035-E-XXX-XX	MBE-004-E	
300-A-XXX-XX	BRW054-E-XXX-XX	MJP-001-E	
300-WA-XXX-XX	COH-001-E	NAV-007E	
300-WA-QXXX-XX	COM-002-E	NOK-001-E	
3-A-XXX-XX	ELE-003-E-XX	PHI-001-E	
500-WA-XXX-XX	ERI-004-E-XX	PRO-028-E-30-1	
500-WA-QXXX-XX	GAR-001E	PRO-036E-03	
50-18A-XXX-XX	HAR-015-A	RAY-006E	
50-6A-XXX-XX	HDC012-E-XXX-XX	RHO-003E	
50-A-XXX-XX	HDC013-E-XXX-XX	RHO-005E-XX	
5-A-XXX-XX	HDC014-E-XXX-XX	SEL-003-E	

30303 Aurora Road, Cleveland (Solon) Ohio 44139-2794
Phone: (440) 248-1200 Fax: (440) 248-5426 www.bird-technologies.com

Conduction Cooled Attenuators

1000-CA-FFN-XX
ASP-011-A
ASP-018-A-XX
HAR-003-A
UNI-003-A

Chip Attenuators

8700-XX-XXX-X
HEN-001-G-XX
MDI-036-G-XX

Convection Cooled Terminations

1000-T-XX	50-18T-XX	BRW-019-F-XX	NAV-005-F-XRXX
1000-T-QXX	50-6TXXN	CON-003-F-XRXX	NAV-008F-XRXX
1000-WT-XX	50-T-XX	DCOM-001B	PRO-010-F
1000-WT-QXX	5-T-XX	DCOM-004F	PRO-035-F
100-ST-XX	600-T-XX	FAI-001F-XRXX	QUA-002F
100-T-XX	600-T-QXX	HAR-023B	ROC-001-F
10-T-XX	75-T-XX	HDC-020-F-XX	SPA-002-F
150-ST-XX	8053A	HDC-024-F-XX	SYS-002F
150-T-XX	8080A	HDC-025-F-XX	THA-003F-XRXX
150-WT-XX	8080FN	HDC-026-F-XX	TRI-019-F-XX
150-WT-QXX	8080FT	HDC-027-F-XX	TRI-020-F-XX
20-T-MN	8080MN	HON-003F-XX	TRI-022-F-XX
25-T-XX	8080MT	HOW-001-F	TRI-023-F-XX
2-T-XX	80TNCF	JFW-024-F-XX	TRI-024-F-XX
300-CT-XX	80TNCF	LOC-020-F	TRI-025-F-XX
300-T-XX	AXC-001B	LUC-007F	TXR-034E
300-WT-XX	AXC-002B	MET-005-F-XX	UNI-002-F
300-WT-QXX	BRW-015-F-XX	NAV-002-F	VIA-003-F-FE
500-WT-XX	BRW-017-F-XX	NAV-003-F-XRXX	
500-WT-QXX	BRW-018-F-XX	NAV-004-F-XRXX	

30303 Aurora Road, Cleveland (Solon) Ohio 44139-2794
Phone: (440) 248-1200 Fax: (440) 248-5426 www.bird-technologies.com

Conduction Cooled Terminations

100-CT-XX
150-CT-XX
151-CT-XX
250-CT-XX
25-CT-XX
300-CT-XX
500-CT-XX
50-CT-XX
8072A-X
8075A
AAI-001-F
BRW-067B
LOC-012-B
MAR-002-B
MAR002KIT
NOR-001-B
ORB-001-B

Chip Terminations

ADV-005-K
BRO-001N
MDI-037-H

Power Dividers/Combiners

100-AD-FFN-02
100-AD-FFN-03
2-AD-FFN-2
30-AD-FFA-2
30-AD-FFN-2
30-AD-FFT-2
350-AD-FFN-2
350-BD-FFE-1R9
350-BD-FFE-2
350-BD-FFE-2M
350-BD-FFN-2
35-AD-FMMN-2
HAR-011-P
NAT-002-P